

<SUPER BATTERY (DRY CHARGED)>

SIZE	CAPACITY	3L	4L
NS40	12V.32AH	111	148
NS40ZL	12V.35AH	111	148
N40	12V.40AH	93	124
NS60	12V.45AH	93	124
N50	12V.50AH	60	80
N50Z	12V.60AH	60	80
NS70	12V.65AH	60	80
N70	12V.70AH	54	72
N70Z	12V.75AH	54	72
N100A	12V.95AH	39	52
N100	12V.100AH	39	52
N120A	12V.110AH	30	40
N120	12V.120AH	30	40
N135	12V.135AH	24	32
N150	12V.150AH	24	32
NS200	12V.165AH	24	32
N185	12V.185AH	18	24
N200	12V.200AH	18	24
55D23L	12V.60AH	72	96
80D26L	12V.65AH	60	80
DIN35	12V.35AH	111	148
DIN45	12V.45AH	66	88
DIN50	12V.50AH	78	104
DIN55	12V.55AH	66	88
DIN60	12V.60AH	66	88
DIN66	12V.66AH	54	72
DIN70	12V.70AH	60	80
DIN74	12V.74AH	54	72
DIN75	12V.75AH	54	72
DIN80	12V.80AH	45	60
DIN88	12V.88AH	45	60
DIN96	12V.96AH	45	60
DIN100	12V.100AH	45	60
DIN170	12V.170AH	24	32
DIN180	12V.180AH	24	32
PT90	12V.88AH	54	72
NX120-7	12V.80AH	54	72
58-60	12V.	78	104
74-60	12V.	54	72
78-72	12V.	54	72
65-60	12V.	54	72
30H-102	12V.	45	60

SUPER BATTERY (MF)

For European Vehicles (DIN MF series)

Group	Size	AH (20HR)	CCA	R.C (Min)	Dimension(mm)				Lay out	Ter- minal	BHD	PLT
			(Amps)		L	W	H	TH				5L
LB1	53518	35	330	60	207	173	175	175	0	A	B13	130
	53519	35	330	60	207	173	175	175	1	A	B13	
	53624	36	330	60	207	173	175	175	0	A	B1	
	53638	36	330	60	207	173	175	175	1	A	B1	
	53646	36	330	60	207	173	175	175	0	A	B13	
	54321	43	450	71	207	173	175	175	0	A	B13	
L1	54322	43	450	71	207	173	175	175	1	A	B13	130
	54459	44	390	71	207	173	190	190	0	A	B13	
	54464	44	390	71	207	173	190	190	1	A	B13	
LB2	55054	50	420	80	207	173	190	190	0	A	B13	110
	54518	45	390	71	242	173	175	175	1	A	B14	
	54519	45	390	71	242	173	175	175	0	A	B14	
	55040	50	450	80	242	173	175	175	0	A	B13	
	55457	54	480	90	242	173	175	175	0	A	B13	
	55458	54	480	90	242	173	175	175	1	A	B13	
L2	56077	60	540	100	242	173	175	175	0	A	B13	110
	55559	55	480	90	242	173	190	190	0	A	B13	
	55565	55	480	90	242	173	190	190	1	A	B13	
	56219	62	540	100	242	173	190	190	0	A	B13	
	56220	62	540	100	242	173	190	190	1	A	B13	

LB3	55414	54	480	90	276	173	175	175	0	A	B13	90
	55415	54	480	90	276	173	175	175	1	A	B13	
	56318	63	540	105	276	173	175	175	0	A	B14	
	56330	63	540	105	276	173	175	175	0	A	B13	
	56821	68	570	113	276	173	175	175	1	A	B13	
	56828	68	570	113	276	173	175	175	0	A	B13	
L3	57113	71	640	120	276	173	175	175	0	A	B13	90
	56638	66	540	110	276	173	190	190	0	A	B13	
	56640	66	540	110	276	173	190	190	1	A	B13	
	57219	72	610	120	276	173	190	190	1	A	B13	
	57220	72	610	120	276	173	190	190	0	A	B13	
	57412	74	680	130	276	173	190	190	0	A	B13	
LB4	57413	74	680	130	276	173	190	190	1	A	B13	90
	57539	75	640	130	315	173	175	175	0	A	B13	
L4	58014	80	680	140	315	173	175	175	0	A	B13	90
	58043	80	640	140	315	173	190	190	0	A	B13	
	59042	90	720	160	315	173	190	190	0	A	B13	
LB5	59043	90	720	160	315	173	190	190	1	A	B13	75
	58515	85	720	145	351	173	175	175	0	A	B13	
	59015	90	740	160	351	173	175	175	0	A	B13	
L5	58821	88	680	150	351	173	190	190	1	A	B13	75
	58827	88	680	150	351	173	190	190	0	A	B13	
	59218	92	720	165	351	173	190	190	0	A	B13	
	59219	92	720	165	351	173	190	190	1	A	B13	
	60044R	100	850	180	351	173	190	190	1	A	B13	
	60044	100	850	180	351	173	190	190	0	A	B13	
B19	53520	35	300	52	187	127	200	220	0	B	-	185
	53521	35	300	52	187	127	200	220	0	A	-	
	53522	35	300	52	187	127	200	220	1	B	-	
B24	54523	45	360	71	235	127	200	220	0	A	-	140
	54524	45	360	71	235	127	200	220	1	A	-	
	54551	45	360	71	235	127	200	220	1	B	-	
	54584	45	360	71	235	127	200	220	0	B	-	
D23	56068	60	480	100	231	172	200	220	0	A	B1	110
	56069	60	480	100	231	172	200	220	1	A	B1	
D26	56048	60	480	100	266	172	200	220	0	A	B9	100
	56049	60	480	100	266	172	200	220	1	A	B9	
	57024	70	540	120	266	172	200	220	1	A	B9	
	57029	70	540	120	266	172	200	220	0	A	B9	
D31	57512	75	600	130	303	172	200	220	0	A	B1	90
	57513	75	600	130	303	172	200	220	1	A	B1	
	58513	85	680	145	303	172	200	220	0	A	B1	
	58514	85	680	145	303	172	200	220	1	A	B1	
	59518	95	720	170	303	172	200	220	0	A	B1	
	59519	95	720	170	303	172	200	220	1	A	B1	
	60045	100	760	180	303	172	200	220	0	A	B1	
MF100	60046	100	760	180	303	172	200	220	1	A	B1	75
	59615	96	760	170	326	172	203	223	0	A	B1	
E41	59616	96	760	170	326	172	203	223	1	A	B1	60
	60016	100	760	180	408	172	210	230	0	A	-	
A	62034	120	680	230	514	189	196	215	3	A		45
	62035	120	680	230	514	189	196	215	3	A	B13	
	62038	120	680	230	514	189	196	215	4	A		
	64589	145	800	260	514	189	196	215	3	A		
B	67018	170	950	320	514	223	196	215	3	A		40
	67019	170	950	320	514	223	196	215	4	A		
	68032	180	1000	370	514	223	196	215	3	A		
	68033	180	1000	370	514	223	196	215	4	A		
	68035	180	1000	370	514	223	196	215	3	A	B13	
	68036	180	1000	370	514	223	196	215	4	A	B13	
C	70027	200	1050	430	518	273	216	235	3	A	-	30
	70029	200	1050	430	518	273	216	235	4	A	-	
	72512	225	1150	460	518	273	216	235	3	A	-	

MF BATTERY PRICE LIST

For Japanese Vehicles (JIS MF series)

Group	Size Marking		AH	CCA (SAE)	RC	Dimension(mm)				Lay out	Ter- minal	BHD	PLT 5L
	New	Old				20HR	AMPS	(Min)	L				
	32B19R	NS40	32	270	48	187	127	200	220	1	B	-	

B19	32B19L	NS40L	32	270	48	187	127	200	220	0	B	-	185	
	40B19R	NS40Z	35	300	52	187	127	200	220	1	B	-		
	40B19L	NS40Z	35	300	52	187	127	200	220	0	B	-		
	40B19FL	-	35	300	52	187	135	200	220	0	B	B1	165	
	40B19FLS	-	35	300	52	187	135	200	220	0	A	B1	165	
	40B19RS	NS40Z	35	300	52	187	127	200	220	1	A	-	185	
	40B19LS	NS40Z	35	300	52	187	127	200	220	0	A	-		
	42B19R	-	38	340	55	187	127	200	220	1	B	-		
	42B19L	-	38	340	55	187	127	200	220	0	B	-		
	42B19FL	-	38	340	55	187	135	200	220	0	B	B1		165
	44B19L	-	40	370	60	187	127	200	220	0	B	-		185
	44B19R	-	40	370	60	187	127	200	220	1	B	-	185	
B24	50B24R	N40B	40	370	60	235	127	200	220	1	B	-	140	
	50B24L	N40LB	40	370	60	235	127	200	220	0	B	-		
	50B24RS	N40	40	370	60	235	127	200	220	1	A	-		
	50B24LS	N40L	40	370	60	235	127	200	220	0	A	-		
	55B24R	NS60 NX100- S6	45	430	71	235	127	200	220	1	B	-		
	55B24L	NS60L NX100- S6LS	45	430	71	235	127	200	220	0	B	-		
	55B24RS	NS60 NX100- S6	45	430	71	235	127	200	220	1	A	-		
	55B24LS	NS60L NX100- S6LS	45	430	71	235	127	200	220	0	A	-		
60B24L	-	48	470	75	235	127	200	220	0	B	-			
60B24R	-	48	470	75	235	127	200	220	1	B	-			
D23	55D23R	-	60	550	100	231	172	200	220	1	A	B1	110	
	55D23L	-	60	550	100	231	172	200	220	0	A	B1		
	75D23R	-	65	580	110	231	172	200	220	1	A	B1		
	75D23L	-	65	580	110	231	172	200	220	0	A	B1		
D26	48D26R	N50	50	430	80	258	172	200	220	1	A	B1	100	
	48D26L	N50L	50	430	80	258	172	200	220	0	A	B1		
	55D26R	N50Z	60	550	100	258	172	200	220	1	A	B1		
	55D26L	N50ZL	60	550	100	258	172	200	220	0	A	B1		
	75D26R	NS70	65	580	110	258	172	200	220	1	A	B1		
	75D26L	NS70L	65	580	110	258	172	200	220	0	A	B1		
	80D26R	NX110- 5	70	600	120	258	172	200	220	1	A	B1		
	80D26L	NX110- 5L	70	600	120	258	172	200	220	0	A	B1		
	90D26R	-	75	630	130	258	172	200	220	1	A	B1		
	90D26L	-	75	630	130	258	172	200	220	0	A	B1		
D31	65D31R	N70	70	600	120	303	172	200	220	1	A	B1	90	
	65D31L	N70L	70	600	120	303	172	200	220	0	A	B1		
	75D31R	N70Z	75	630	130	303	172	200	220	1	A	B1		
	75D31L	N70ZL	75	630	130	303	172	200	220	0	A	B1		
	95D31R	NX120- 7	80	670	140	303	172	200	220	1	A	B1		
	95D31L	NX120- 7L	80	670	140	303	172	200	220	0	A	B1		
	105D31R	-	90	750	160	303	172	200	220	1	A	B1		
	105D31L	-	90	750	160	303	172	200	220	0	A	B1		
E41	115D31R	-	95	830	170	303	172	200	220	1	A	B1	60	
	115D31L	-	95	830	170	303	172	200	220	0	A	B1		
	95E41R	N100	100	830	180	408	172	210	230	1	A	-		
	95E41L	N100L	100	830	180	408	172	210	230	0	A	-		
F51	115E41R	NS120	110	900	200	408	172	210	230	1	A	-	50	
	115E41L	NS120	110	900	200	408	172	210	230	0	A	-		
G51	135F51R	N120	120	870	230	506	182	213	233	4	A	-	40	
	135F51L	N120L	120	870	230	506	182	213	233	3	A	-		
	160G51R	N150	150	1000	300	506	215	213	233	4	A	-		
	160G51L	N150L	150	1000	300	506	215	213	233	3	A	-		
H52	165G51R	NS200	170	1050	325	506	215	213	233	4	A	-	30	
	165G51L	NS200	170	1050	325	506	215	213	233	3	A	-		
	210H52R	N200	200	1200	430	509	274	220	240	4	A	-		
	210H52L	N200L	200	1200	430	509	274	220	240	3	A	-		
D33	245H52R	-	220	1400	460	509	274	220	240	4	A	-	75	
	245H52L	-	220	1400	460	509	274	220	240	3	A	-		
	MF100R	CARNI VAL	100	830	180	326	172	203	223	1	A	-		
MF100L	CARNI VAL	100	830	180	326	172	203	223	0	A	-			